

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** EcoAir® VpCI®-422

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**

Rust remover/ rust-removing agent
Corrosion inhibitors

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

EcoCortec d.o.o.
Bele Bartoka 29
HR-31300 Beli Manastir
CROATIA
Tel: (+385) 31 705 011
Fax: (+385) 31 705 012

Cortec Corporation
4119 White Bear Parkway
St. Paul, MN 55110 USA
Phone (651) 429-1100
Fax (651) 429-1122

· **Information department:** compliance@cortecvci.com

· **1.4 Emergency telephone number:**

Spill, Leak, Fire, Exposure, or Accident
24 hour CHEMTREC contact:
USA and Canada 1-800-424-9300
International +1-703-527-3887 (collect calls accepted)
UK +(44)-870-8200418

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Aerosol 3 H229 Pressurised container: May burst if heated.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H229 Pressurised container: May burst if heated.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 1)

H319 Causes serious eye irritation.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

Ingredients:

CAS: 77-92-9	citric acid	⚠ Eye Irrit. 2, H319	10-25%
EINECS: 201-069-1			

Additional information

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing** Do not induce vomiting. Immediately call a poison center or a doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

The symptoms and effects are as expected from the hazards shown in section 2. No specific product related symptoms are known.

No further relevant information available.

- **Information for doctor** Show this safety data sheet to the doctor in attendance.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

- **5.3 Advice for firefighters** Self-contained breathing apparatus

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 2)

- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**



Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

- **6.2 Environmental precautions:** No special measures required.
 - **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.
 - **6.4 Reference to other sections**
- See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights.
 Do not pierce or burn, even after use.
 Provide adequate precautions, such as electrical grounding and bonding.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
 Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:**
 Do not store together with alkalis (caustic solutions).
 Store away from foodstuffs.
 Store away from oxidising agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class 2 B**
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 3)

- **8.2 Exposure controls** Use local exhaust ventilation to control airborne concentrations below exposure limits.
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**



Use suitable respiratory protective device in case of insufficient ventilation.

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). To determine the appropriate type of respiratory protection that should be used, a hazard assessment should be performed prior to using the product. Environmental conditions such as ventilation and other contaminants may affect the type of respiratory protection that is chosen.

- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Protective Gloves I.E.**, Nitrile, Viton, Neoprene
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Aerosol
· Colour:	Brown
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value at 20 °C:** 1.7-2.5 (Neat)

· Change in condition

· Melting point/freezing point:	undetermined
· Initial boiling point and boiling range:	Not applicable, as aerosol

· **Flash point:** Not applicable, as aerosol

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 1,010 °C (*)

· **Decomposition temperature:** Not determined.

· **Self igniting:** Product is not selfigniting.

· **Explosive properties:** Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 4)

· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa (*)
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· 9.2 Other information	The above data are typical values and do not constitute a specification. *Properties have been calculated.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Reacts with Alkalis.
- **10.2 Chemical stability** Stable under recommended storage conditions
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid**
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
- **10.5 Incompatible materials:** Alkaline materials
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

77-92-9 citric acid

Oral LD50 6,730 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 5)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

LC50/ 96 h	354 mg/l (Cyprinodon variegatus) (96 hours)
LC50/ 48 h	107 mg/l (Americamysis bahia) (48 Hours)
	707 mg/l (Cyprinodon variegatus) (48 Hours)
LC50	199 mg/l (Americamysis bahia) (24 Hours)
	707 mg/l (Cyprinodon variegatus) (24 Hours)
	295 mg/l (Daphnia pulex) (48 Hours)
	109 mg/l (Mysidopsis bahia) (48 Hours)
	528 mg/l (Menidia beryllina) (48 Hours)
	402 mg/l (Pimephales promelas) (48 Hours)
LC50/72 h	379 mg/l (Cyprinodon variegatus) (72 Hours)
LOEC	400 mg/l (Daphnia pulex)
	100 mg/l (Mysidopsis bahia)
	400 mg/l (Menidia beryllina)
	800 mg/l (Pimephales promelas)
NOEC	63 mg/l (Americamysis bahia) (48 Hours)
	250 mg/l (Cyprinodon variegatus) (96 hours)
	200 mg/l (Daphnia pulex)
	50 mg/l (Mysidopsis bahia)
	200 mg/l (Menidia beryllina)
	400 mg/l (Pimephales promelas)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· **Recommendation** Dispose of in accordance with local, state, and federal regulations.

· European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 07 00	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 99	wastes not otherwise specified

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019



Trade name: EcoAir® VpCI®-422

(Contd. of page 6)

HP4 Irritant - skin irritation and eye damage

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN-Number · ADR, IMDG, IATA 	UN1950
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG · IATA 	1950 AEROSOLS AEROSOLS AEROSOLS, non-flammable
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	2.5A Gases. 2.2
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	2.2 2.2
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	Not applicable not regulated
<ul style="list-style-type: none"> · 14.5 Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code 	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 7)

· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.2

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** None
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Cortec Corporation does not warrant any translation of this SDS not created by Cortec Corporation.

- **Relevant phrases**
H319 Causes serious eye irritation.
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2019

Revision: 06.09.2019

Trade name: EcoAir® VpCI®-422

(Contd. of page 8)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Aerosol 3: Aerosols – Category 3
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· *** Data compared to the previous version altered.**

GB

 valdamark**DISTRIBUTOR**

Valdamark Ltd
Unit 13, 30 The Downs, Altrincham,
Cheshire, WA14 2PX, United Kingdom.

info@valdamarkdirect.com
Tel: +44 (0) 161 706 0388

ISO
acceleratorRegistered
ISO9001

0205